



تورق تكنيكل للتجارة ذ.م.م

**TORQUE**

TECHNICAL TRADING W.L.L



We stock and distribute products such as Hydraulic Hoses, Fittings, Pneumatics, Pipe Fittings, Flanges, Valves, Instrumentation Fittings and their accessories, related to oil & gas, ship building, petrochemicals & construction industry in Qatar.


Our Mission is to provide "Engineering Solutions" so that we can help you in designing this world a better way and together we can bring "Engineering to Success".

At Torque we have a wide range of Industrial Products with employees having significant engineering knowledge helps us to provide cutting edge solutions and cater the customer with proper requirements and solutions.

Pursuing and following strong Business Ethics, the founders hail from reputed business family that has been fulfilling customers needs for over 3 generations. Torque aims to continue this long term vision of partnering with customers as they fulfill their business ambitions.

Being Qatar based, gives us a strategic advantage to serve customers' requirements across the region. We also have our own delivery system which helps us to deliver material with swiftness and efficiency across Qatar.

Each Torque product comes with a guarantee of a brand. Our Product range has been built after extensive research, life cycle testing and bench marking. We are committed to quality assurance and is followed with rigour at each stage of Process cycle as mentioned below,



# Pipe And Pipe Fittings

## Flanges



PRODUCT	TYPE	RANGE	GRADE
Stainless Steel Flange (#150, #300 & PN16)	Slip-On, Weld-neck, Blind, Threaded, Orifice, Spectacle Blinds, Spades & Spacers, Socket-Weld	1/2" - 36"	ASTM A182 F304/F304L & 316/316L ASME B 16.5
Carbon Steel Flanges (#150, #300, PN16 & JIS)			ASTM A105 ASME B 16.5

## Stainless Steel Butt Weld Fittings



PRODUCT	TYPE	RANGE	GRADE
Seamless & ERW Fittings (SCH10, SCH40, SCH80)	Elbow, Tee, Coupling, Concentric Reducer, Eccentric Reducer, End Caps	1/2" - 12"	ASTM A182 F304/F304L & 316/316L ASME B 16.9

## High Pressure (Forged Fittings and O-Lets)

PRODUCT	TYPE	RANGE	GRADE
Threaded & Socket Weld (3000, 6000 PSI)	Elbow, Tee, Union, Hex Nipple, Red Bush, Male Plug, Street Elbow, Half Coupling, Full Coupling, End Caps, Weld-O-lets, Thread-O-lets	1/8" - 4"	ASTM A182 F304/F304L & 316/316L ASME B 16.5
			ASTM A105 ASME B 16.5



## Pipes



PRODUCT	TYPE	RANGE	GRADE
Pipes (SCH10, SCH40, SCH80)	Seamless, ERW, SAW	1/4" - 24"	A182 F304/304L & 316/316L

## Low Pressure Threaded Fittings

PRODUCT	TYPE	RANGE	GRADE
#150 LB (NPT & BSPT)	Elbow, Tee, Union, Hex Nipple, Red Bush, Male Plug, Street Elbow, Half Coupling, Full Coupling, End Caps, Long Nipples	1/8" - 4"	CF8M (316/316L) MSS SP 114



## Valves

### Ball Valves



PRODUCT	TYPE	PRESSURE	RANGE	SPECIFICATION	GRADE
Stainless Steel Valves	Low Pressure	1000 WOG	1/4" - 4"	Full Bore, Reduced Bore, Screwed (BSP & NPT), Socket Weld	ASTM A351 CF8M
	High Pressure	2000 PSI, 3000 PSI, 6000 PSI	1/4" - 2"	Screwed & Socket Weld	
	Flanged	#150 & PN16	1/2" - 8"	Flange Dimension	ASTM B16.5

### Check Valve

PRODUCT	TYPE	RANGE	GRADE
Check Valve (#150 & Pn16) Threaded and Flanged	Vertical, Swing, Wafer Type, DISC	1/4" - 4"	ASTM A351 CF8M ASTM B16.5



### Globe and Gate Valve



PRODUCT	TYPE	PRESSURE	RANGE	GRADE
Gate Valve	Threaded and Flanged	200 WOG, 600 WOG	1/2" - 2"	ASTM A351 CF8M ASTM B16.5
Globe Valve		#150, #300	1" - 12"	

## Strainers

PRODUCT	TYPE	RANGE	GRADE
Y-Strainers Threaded and Flanged	800WOG	1/4" - 4"	ASTM A351 CF8M ASTM B16.5



## Butterfly Valve



BODY	TYPE	RANGE	DISC	GRADE
CI Body & SS Body	Wafer type & Lug Type	2" - 12"	Stainless Steel Disc	ASTM A351 CF8M ASTM B16.5
			Bronze Disc	
			DI Disc	

## Control Valves

### Pneumatic Actuated Ball Valve

TYPE	RANGE	SPECIFICATION
Double & Single Acting	1/2" - 4"	SS Ball Valve 3 pcs body with ISO 5211 mounting



### Pneumatic Actuated Butterfly Valve



TYPE	RANGE	SPECIFICATION
Double & Single Acting	2" - 12"	CI body with ISO 5211 mounting

### "Y" Type Control Valve

TYPE	RANGE	SPECIFICATION
Double & Single Acting (Normally Closed)	1/2" - 4"	Threaded & Flanged



### SS Solenoid Valve



TYPE	RANGE	PRESSURE	COIL
Double & Single Acting (Normally Closed)	1/4" - 2"	10 Bar	12V DC, 24V DC, 220V AC, 110V AC

## Double Compression Fittings

PRODUCT	TYPE	RANGE	GRADE
Inch and MM Type	Male Connector, Female Connector, Straight Union, Union Tee, Union Elbow, Male Elbow, Female Elbow, Bulkhead, Socket-Weld	Inch: 1/8" - 1"	ASTM A182
		mm: 4mm - 25mm	
		Thread: 1/8" - 1"	



## Valves and Manifold



PRODUCT	TYPE	RANGE	GRADE
Needle Valve	3000 PSI , 6000 PSI, 10000 PSI	1/4" - 1"	ASTM A182
Valve Manifold		As per requirement	

## Compression Tubing and Clamps

PRODUCT	TYPE	RANGE
Tubing	Seamless & ERW	Inch: 1/8" - 1" mm: 4mm - 25mm
Tube Clamps	Single & Twin	6mm to 50.8mm



## Camlock Couplings and Clamps

PRODUCT	TYPE	RANGE
Camlock Coupling	NPT and BSPT	1/2" to 6"
Clamps	Hose Clips	1/4" to 12"
	Single bolt Clamps	1/2" to 12"



## Gauges



PRODUCT	TYPE	DIAL SIZE	RANGE	CONNECTION
Pressure Gauges Dual Dial (PSI & BAR)	Back & Bottom Connection (Threaded & Flanged)	2" to 6"	1 BAR to 1000 BAR 15 PSI to 15000 PSI	1/8", 1/4", 1/2"
Temperature Gauges			0 to 650°C	

## Hydraulic Fittings

PRODUCT	TYPE	RANGE
Hydraulic Fittings	Adaptors, Ferrules, Metric Fittings, BSP Fittings, JIC Fittings, Flange Fittings, ORFS Fittings, Dowty Seal	1/8" - 2"





تورق تكنيكل للتجارة ذ.م.م  
**TORQUE**  
TECHNICAL TRADING W.L.L

**تورق تكنيكل للتجارة ذ.م.م**

Shop No 1 Souq Al Mansoura Bldg 19 Street No 13

Wakalat Road Industrial Area Doha Qatar

Email : sales@torquewll.com Web: www.torquewll.com

